FOUNDED 1876 Registered Charity No. 1176889

> Field Croft Carleton Holmrook Cumbria CA19 1YT

Mobile: 07856162428

E-mail: gosforthshow@hotmail.com

Website: www.gosforthshow.co.uk

Date as postmark

Trade Stands/Stalls/Advertising/Sponsorship – Saturday 17th August 2024

The Gosforth Agricultural show is an annual event promoting agriculture and rural life, it is held on the 3rd Saturday in August each year and the next show falls on the 17th August 2024.

Despite an awful start to the day last year, we did end up with the sunshine required to make it a successful day for all in attendance. We are lucky with our show ground setting and are delighted to offer traders the chance to promote their businesses to old and new customers as well as networking with other businesses from the area.

Please use the attached pack to make your booking providing as much detail as possible about your stand, ensure you have read the conditions enclosed as you must also submit a copy of your insurance & risk assessments to be accepted.

There are other options available to support the outcome of the show, sponsorship enables the show to improve and develop – there are details in the attached pack and include catalogue advertising/sponsorship of competitions.

Your support is very much appreciated and may I take this opportunity to wish you a successful year.

Yours faithfully

9 5 Watson

Julia Watson General Secretary.



GOSFORTH AGRICULTURAL SHOW SOCIETY

FOUNDED 1876 Registered Charity No. 1176889

Secretary: Julia Watson
Field Croft, Carleton, Holmrook, Cumbria CA19 1YT
Telephone 07856162428

Email: gosforthshow@hotmail.com www.gosforthshow.co.uk

GOSFORTH AGRICULTURAL SHOW ON SATURDAY 17th AUGUST 2024 TRADE STAND APPLICATION FORM (Please Print)

IRADE S	I AND A	PPLICAT	ION FOR	M (Please	e Print)	
Company Name						
Contact Name						
Contact Address						
Postcode						
Telephone/Mobile Number						
Email Address						
Web Address						
Number of Staff Attending						
Brief Description of Goods Being offered on your Stand						
See GDPR information below. Signature:						
Paying by (provide date when PayPal/BACs payments made	PayPal		BACs		Cheque/Cash	

Trade Stand space is sold based on the frontage required for the stand, booked space must include **drawbars/tent ropes**. All spaces are 7.5m deep. Registered Charities will be charged £5 per **meter** up to 3m & £10 per **meter** thereafter. **Evidence of Charitable status must be provided**. Vehicles not within the stand space <u>MUST</u> be removed to the free car park.

Trade Stand Space (FRONTAGE) Applied for:	

Payment methods:

BACS (Preferred) Account: Gosforth Agricultural Society, Sort: 60-07-34 Account: 48199664 (*use reference to tell us who you are)

PayPal account: gosforthshow@hotmail.com. (*Important: put your name/stand name in the notes) or Cheques payable to Gosforth Agricultural Society. Completed forms can be emailed to gosforthshow@hotmail.com

PLEASE REMEMBER TO RETURN YOUR APPLICATION BY 20th July 2024



FOUNDED 1876 Registered Charity No. 1176889

Trade Stand Booking Conditions

Bookings

Bookings of Trade Stand spaces cannot be accepted without completion of the form including signature, which must be returned to the Secretary by Saturday 20th July 2024 with **Payment, risk assessment and Insurance Documentation.** Where space in a particular trading type is full the application will not be accepted but will be placed on a waiting list should space become free. The committee reserves the right to refuse any application.

Payment

Payment for Trade Stand must be made in full by 20th July 2024.

Insurance

It is compulsory for Trade Exhibitors of all types to hold Public Liability insurance, including the appropriate policy to operate at the Gosforth Agricultural show. The Gosforth Agricultural show does not have insurance cover for Trade Exhibitors. A copy of proof of public and employer liability cover must be sent with the application form.

Health & Safety

It is compulsory for Trade Exhibitors to have a health & safety policy in place including an up-to-date Risk Assessment appropriate to operating their business. This is a requirement of the local authority. A copy of the appropriate Risk Assessment should be included with the application form.

Live Animals/Fish

In the current climate we DO NOT want Traders to award prizes of LIVE animals or fish (normally, Goldfish).

VEHICLE MOVEMENTS

It is important that vehicle movement around the field is kept to a minimum – drive on, drive off. There is a designated route for vehicles to use, see the map provided. NO VEHICLES ARE ALLOWED TO DRIVE ADJACENT TO THE LIVESTOCK AREA OTHER THAN LIVESTOCK VEHICLES.

Cancellation/Refunds

Should it become necessary to cancel the Gosforth Agricultural show, Trade Exhibitors with reserved space will be offered the option to receive a refund on payments made, less 5% administration fee or to donate their fee. Refunds will not be given if exhibitor cancellation is within 14 days of the show.

Entrance Passes

Entrances passes for staff/people involved with the Trade Stand will be allocated based on the size of stand, with the minimum being 2 passes.

Electricity

All electrical requirements must be met by the stand holder with the use of silent generators (70 dBA or less) that meet health & safety requirements and have a current certificate of safety. Should you require assistance please contact the Secretary. Please state if using a generator.

Marquees

Stand holders are to provide their own marquees/gazebos which must be erected by suitably competent people to meet safety standards.

Timetable

On acceptance of your booking, you will receive access instructions and tickets approx. 3 weeks before the show, the field will be open to Trade Exhibitors from Thursday 15th August 2024. If you require access earlier then contact the Secretary to arrange.

General Data Protection Regulations (GDPR)

By signing the application form, exhibitors accept that we will share your trade stand name only, this may be used in the show day catalogue and sometimes with the local press that advertises the show. Exhibitors do have the right to withdraw consent of this at any time by contacting the general secretary, gosforthshow@hotmail.com or 07856162428.



FOUNDED 1876 Registered Charity No. 1176889

RISK ASSESSMENT FORM

Using the guidelines shown below please consider what risks there are to those building up Trade Stands and to members of the public during the show. Outline the steps you propose to take to minimise those risks in the table overleaf. Please copy this page if more space is required. If in your opinion there are no risks, please print **NO RISKS** and return the form.

NO APPLICATION WILL BE CONSIDERED WITHOUT A COMPLETED RISK ASSESSMENT FORM \underline{AND} FIRE RISK ASSESSMENT FORM

Hazard	Who Might be harmed?	Is more needed to control the risk?
Look only for hazards, which you could reasonably expect to result in significant harm under the conditions in your workplace. Use the following examples as a guide.	There is no need to list individuals by name – just think about groups of people doing similar work – who may be affected, e.g.,	For the hazards listed, do the precautions already taken
Slipping/tripping hazards Chemicals (e.g., battery acid)	Office Staff Maintenance Personnel	* Meet the standards set by a legal requirement?
Moving parts of machinery (e.g., Blades)	Contractors People sharing your work place	* Comply with a recognised industry standard?
Work at height Pressure systems Vehicles (e.g., fork-lift trucks)	Operators Cleaners Members of the public	 Represent good practice? Represent risk as far as reasonably practicable?
Electricity Dust (e.g., from grinding) Fumes (e.g., from vehicle engines)	Pay particular attention to: Staff with disabilities	Have you provided: * Adequate information, instruction or training?
Manual handling Noise Livestock on stand	Visitors Inexperienced staff Lone workers – they may be more	* Adequate systems or procedures? If so, then the risks are adequately controlled, but you need to indicate the precautions you have in place.
Lifting operation	vulnerable.	Where the risk is not adequately controlled, indicate what more you need to do (the 'action list').
Fire hazard e.g. combustible materials (rubbish, flammable substances, LPG etc) and ignition sources (flames, smoking etc)	As above.	* Means of escape; fire detection and alarms. Firefighting equipment and fire evacuation plan.



RISK ASSESSMENT FORM

Please complete in BLOCK CAPITALS & return (Please photocopy more sheets if you need to)

What are the hazards?	Who might be harmed and how?	What are you already doing to minimise the Risk?	Do you need to do anything else to manage this risk?
Example Slips and trips	Staff and visitors may be injured if they trip over objects or slip-on spillages	We carry out general good housekeeping. All areas are well lit including stairs. There are no trailing leads or cables. Staff keep work areas clear, e.g., no boxes left in walkways, deliveries stored immediately, offices cleaned each evening	Better housekeeping is needed in staff kitchen, e.g., on spills

DO ALL ELECTRICAL APPLIANCES YOU MAY BE USING HAVE A CURRENT P.A.T. CERTIFICATE? YES / NO (delete as appropriate)

Trustees: Mr J Park (Chair), Mr F Gate (Vice Chair), Mrs L Strand (Treasurer), Mr B Norman, Mrs M Pratt, Mr D Hilton Mr A Sibbald, Mr J Nichol, Mr G Mounsey, Mr J Hilton, Miss E Ostle

Est. 1876 Registered Charity No. 1176889

Fire Risk Assessment Form

Hazards associated with above activity: Please tick which of the following hazards will form part of your stand during the Gosforth Show LPG Dry Combustibles Hot Surfaces Food Prep. Heat & Ignition Sources Highly Electrical Equipment Machinery Dangerous Overcrowding Signature of responsible person (must be authorised company signatory) Responsibilities: Who will be responsible for Fire Safety Management within your exhibit? Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exaptorportate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to or Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your yes No Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Vas		" 	d (please tick all those that apply)							
Please tick which of the following hazards will form part of your stand during the Gosforth Show LPG Dry Combustibles Electrical Electrical Electrical Equipment Machinery Dangerous Overcrowding Signature of responsible person (must be authorised company signatory) Responsibilities: Who will be responsible for Fire Safety Management within your exhibit? Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exapt propriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to ox Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are combustible materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Vase No		Static Display D		Dem	onstrations	Cat	ering O	utlet		
LPG			•				0			
Highly Electrical Equipment Dangerous Overcrowding Signature of responsible person (must be authorised company signatory) Responsibilities: Who will be responsible for Fire Safety Management within your exhibit? Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Yes No Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to overcrowding Are you aware of the maximum number of people considered safe in your Yes No Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Yes No	Please tick wh	nich of the following h	nazards will	form part of	your stand dur	ing the Go	sforth S	how		
Flammable Equipment Machinery Overcrowding Signature of responsible person (must be authorised company signatory) Responsibilities: Who will be responsible for Fire Safety Management within your exhibit? Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of valid arising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available Is the "No Smoking" sign in a prominent position within your exhibit? Yes No Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to overcrowding Are you aware of the maximum number of people considered safe in your Yes No Combustible Materials/Flammable Substances/Hazardous Materials Are combustible materials kept to an absolute minimum and where combustible Yes No	LPG		Hot S	urfaces	Food Prep.					
Responsibilities: Who will be responsible for Fire Safety Management within your exhibit? Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Yes No Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Ext Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to our Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your Yes No Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible			Mach							
Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Yes No Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to or Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your Yes No Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible	Signature of	responsible persor	(must be a	uthorised co	ompany signato	ry)				
Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Yes No Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to or Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your Yes No Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible										
Name: Telephone No. Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Yes No Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to or Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your Yes No Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Yes No	Responsibilities	: Who will be recoo	neible for Ei	re Safety M	anagement with	in vour ev	hihit?			<u> </u>
Fire Plan/Raising the Alarm Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Yes No Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to over a safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your Yes No Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible		s. Willo will be respo		ie Salety IVI	T		ilibit:			
Do you have an Emergency Evacuation Procedure with an appropriate means of raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to over Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Yes No	ivame:				i elepnone No	J.				
raising the alarm, i.e., shouting, claxon? Are all staff aware of this procedure and how to raise the alarm? Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to our Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible	Fire Plan/Raisi	ing the Alarm								
Fire Extinguishers Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to over Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible				edure with	an appropriate	means of	Yes		No	
Are there sufficient extinguishers of the right type available and identified with a sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to or Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible	Are all staff aware of this procedure and how to raise the alarm?			Yes		No				
sign stating 'Fire Point'? Are all staff aware of the types of extinguishers available and their operating instructions? Signage Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to over Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Yes No	Fire Extinguis	hers								
Is the "No Smoking" sign in a prominent position within your exhibit? Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to over Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible	sign stating 'F	ire Point'? Are all st					Yes		No	
Any temporary structure (i.e., marquee) over 6.5m in length or depth must have an alternative fire exappropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to oversign safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Ves	Signage							•	•	
appropriate Fire Exit sign prominently displayed overhead. Fire Exit Routes Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to overcrowding Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible	Is the "No Smoking" sign in a prominent position within your exhibit?			Yes		No				
Will all Fire Exit routes be clear of obstruction internally and externally at all times? Yes No This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials — Are combustible materials kept to an absolute minimum and where combustible Yes No		•	. ,		ngth or depth	must have	an alte	ernativ	e fire	exit
This is a requirement for compliance with Fire Safety regulations and the nominated member of staff to overselve the Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials – Are combustible materials kept to an absolute minimum and where combustible	Fire Exit Route	es								
Safety must ensure Fire Exits ARE kept clear of obstructive items at all times. Overcrowding Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials – Are combustible materials kept to an absolute minimum and where combustible Ves	Will all Fire Exit routes be clear of obstruction internally and externally at all times?				Yes		No			
Are you aware of the maximum number of people considered safe in your temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials – Are combustible materials kept to an absolute minimum and where combustible Ves							d memb	er of s	taff to	over
temporary structure? Combustible Materials/Flammable Substances/Hazardous Materials – Are combustible materials kept to an absolute minimum and where combustible Ves No.	Overcrowding									
Are combustible materials kept to an absolute minimum and where combustible	· · ·			Yes		No				
	Combustible N	/laterials/Flammabl	e Substanc	es/Hazardo	ous Materials -					
materials are retained are they appropriately stored away from sources of ignition?	Are combustible materials kept to an absolute minimum and where combustible materials are retained are they appropriately stored away from sources of ignition?				Yes		No			

To comply with current Fire Legislation this form MUST be completed, no application can be accepted without a completed form.

The Gosforth Agricultural Society wish you a successful & safe show.

Secretary: Julia Watson

Field Croft, Carleton, Holmrook, Cumbria CA19 1YT

Trustees: Mr J Park (Chair), Mr F Gate (Vice Chair), Mrs L Strand (Treasurer), Mr B Norman, Mrs M Pratt, Mr D Hilton Mr A Sibbald, Mr J Nichol, Mr G Mounsey, Mr J Hilton, Miss E Ostle

Est. 1876 Registered Charity No. 1176889

General Secretary: Julia Watson
Field Croft, Carleton, Holmrook, Cumbria CA19 1YT
Telephone 07856162428

Email: gosforthshow@hotmail.com

www.gosforthshow.co.uk

ADVERTISING OPPORTUNITIES ON 17th AUGUST 2024

There are several ways in which you can show your support for the show – place an advert into the show day catalogue, have one of your banners erected on the show field or sponsor classes at the show with cash or prizes.

Show day catalogue are A5.

Full page (Colour) - £40 Full page (Black & White) - £30 Half page (Black & White) - £20

All adverts must be submitted using PDF or jpeg format by email. If you have previously advertised in the show catalogue & you simply want some words changing, let me know the new words & this can be changed by the printer.

Banners

If you provide us with a banner, we can display it – choices are livestock area (Sheep or Cattle), Main ring or any other vantage point of the field. Banners cannot be more than 3ft high – Cost is £20. Banners must be received by the Secretary/Chair by the Thursday before the show.

Sponsorship

If you would like to sponsor competition classes, please use the form below – schedules can be viewed on the website. Sponsorship of classes/sections will get your name/company name next to that class in the show day catalogue & on the show website.

Donations

Donations will gladly be received to be used to make improvements to the show and enhance the enjoyment of any visitors. The show can offer admittance tickets for any donations made above £10.



Est. 1876 Registered Charity No. 1176889

All forms to be returned by **20th July 2024** to: Mrs J Watson, Field Croft, Carleton, Holmrook, Cumbria CA19 1YT or emailed to gosforthshow@hotmail.com

Payment methods (BACS preferred): BACS details - Name: Gosforth Agricultural Society Sort: 60-07-34 Account: 48199664 (include your name in the reference) PayPal – show account is the email gosforthshow@hotmail.com (Remember to use your name to identify the payment). Cheques made payable to Gosforth Agricultural Society Company Name (Please Print) Address: Postcode Date...... Date....... Email Address: Name of contact person: Write number required in the boxes: Catalogue: Full Page (Colour) x £40 Full Page (Black & White) x£30 ½ Page (Black & White) x £20 Show day Banner x £20 Specific Class/Section No. Classes Amount (£) Sheep Section – £22/Class Cattle Section – £45/Class Horse Section – £30/class **Prize/Prize Money Donation** If you just want to donate an amount or a prize, then please provide details here of how you would like the donation used & what you would like to donate (i.e. cash/goods/vouchers)